EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(access and point and mobile and display$3 and input$4 and administrator$1 and request$4).clm.	US-PGPUB	OR	OFF	2007/12/10 15:48
L2	1493	(authentic$7 authori$9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near5 (display$3 screen$1 monitor$1) near6 (access near3 (device$1 point$1 node$1 system$1))	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L3	22440	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1) with (enter$3 input$3 keyboard$1) with (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L4	139	L3 and L2	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L5	61	L4 and (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L6	15505	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify$3 alert$1 warn$3) with (enter$3 input$3 keyboard$1) with (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L7	290290	(authentic$7 authori$9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near5 (display$3 screen$1 monitor$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L8	14857	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify$3 alert$1 warn$3) with (enter$3 input$3 keyboard$1) with (operator$1 administrat$4 manager$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48

L9	6686	(request$3 establish$3 connect$4 communicat$4 inquir$3) with (access near3 (device$1 point$1 node$1 system$1)) with (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L10	108750	(reject$4 disallow$9 non-allow$9 unallow$8 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1) near6 (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L11	27810	L10 and (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L12	14	L5 and L9	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L13	15026	(request$3 establish$3 inquir$3) with (access connect$4 communication$1 authenticat$4 authori$9 certification$1 certify$3 valid$6 verification$1 verify$3) with (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L14	291590	(authentic$7 authori$9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near5 (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L15	16631	(reject$4 disallow$9 non-allow$9 unallow$8 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1) with (enter$3 input$3 keyboard$1 touchscreen$1 (touch near3 screen$1)) with (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L16	325	L15 and L13	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L17	276	L16 and L14	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L18	19682	access near3 point$1	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L19	882	L10 near6 (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48

L20	36	L17 and L19	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L21	599	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 result$3 fail$4 deny$3 deni$3) near6 (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) near5 (administrat$4 manager$1 supervisor$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L22	218	(mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1) and L21	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L23	21	L22 and L18	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L24	19	L23 and (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L25	2303	(mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1) with ((access near3 point$1))	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L26	1	L25 and L21	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L27	4566	(authentic$7 authori$9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) with (display$3 screen$1 monitor$1 lcd) with (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1) with (connect$4 acess$1 (access near point$1) communicat$4)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L28	12541	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1 deny$3 deni$3) near6 (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) near5 (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L29	105	L28 and L27	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48

L30	22924	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1 deny$3 deni$3) with (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) with (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L31	235	L30 and L27	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L32	8239	(request$3 establish$3 inquir$3) near8 (access connect$4 communication$1 authenticat$4 authori$9 certification$1 certify$3 valid$6 verification$1 verify$3) near8 (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L33	367	L28 and L32	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L34	121	L33 and (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L35	106	L34 and L10	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L36	90	L35 and (lan (local near2 network$1) network$1 wan intranet)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L37	21947	(access authenticat$4 authori$8 certif$9 validat$4) near3 point$1	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L38	4502	(mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1) with ((access near3 point$1) vicinity)	USPAT; IBM_TDB	OR	OFF	2007/12/10 16:01
L39	291590	(authentic$7 authori$9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near5 (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L40	11549	(request$3 establish$3 inquir$3) near8 (access connect$4 communication$1 authenticat$4 authori$9 certification$1 certify$3 valid$6 verification$1 verify$3) near8 (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L41	1410	L18 and L40	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L42	616	L41 and L39	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48

L43	46	L28 and L42	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L44	1290	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1 deny$3 deni$3) near6 (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) near5 (administrat$4 manager$1 supervisor$1)	USPAT; IBM_TDB	OR	OFF	2007/12/10 16:05
L45	15514	(authentic$7 authori$9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1) near7 (information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near7 (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L46	9	L44 and L45 and L37	USPAT; IBM_TDB	OR	OFF	2007/12/10 15:48
L54	18738	((726/2-6) or (726/17) or (726/21) or (726/27-30) or (726/34) or (455/3.01) or (455/456.5) or (455/456.6) or (455/457) or (455/463) or (455/556.2) or (455/554.1) or (455/554.6) or (455/566) or (709/203) or (709/217) or (709/219) or (709/223) or (709/225) or (713/161) or (713/168-170)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/12/10 16:01
L55	401	L54 AND ((mobile$1 pda handheld$1 cellular$1 wireless laptop$1) with (access near3 point$1))	USPAT; IBM_TDB	OR	OFF	2007/12/10 16:04
L56	2	l55 and ((authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 fail$4 notification$1 notify$3 response$1 respond$3 answer$1 deny$3 deni$3) with (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) with (administrat$4 manager$1 supervisor$1))	USPAT; IBM_TDB	OR	OFF	2007/12/10 16:06
L57	1307	L54 and l40	USPAT; IBM_TDB	OR	OFF	2007/12/10 16:05
L58	152	L57 and l45	USPAT; IBM_TDB	OR	OFF	2007/12/10 16:05
L59	16	l58 and ((enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) near5 (administrat$4 manager$1 supervisor$1))	USPAT; IBM_TDB	OR	OFF	2007/12/10 16:05